

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"11422440"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 15:12
L2	29	"6,460,093"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 15:33
L3	1	"11612434"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 15:34
L4	4	"6,243,785"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 15:46
L5	78	"6,308,205"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 16:00
L6	0	(monitor\$3 or analyz\$5 or analysis) with (determin\$5 near3 (finish\$3 or complet\$3)) ((lowest or slowest) near3 (speed or rate or node)) (request\$3 with download\$3 with (segment or sub-block or sub-block))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 16:34
L7	0	(monitor\$3 or analyz\$5 or analysis) with (determin\$5 near3 (finish\$3 or complet\$3)) ((lowest or slowest) with (speed or rate or node)) (request\$3 with download\$3 with (segment or sub-block or sub-block))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 16:34
L8	0	(monitor\$3 or analyz\$5 or analysis) with (determin\$5 near3 (finish\$3 or complet\$3)) ((lowest or slowest) near3 (speed or rate or node)) (request\$3 with download\$3 same (segment or sub-block or sub-block))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 16:35
L9	0	(monitor\$3 or analyz\$5 or analysis) with (download\$3 near3 (finish\$3 or complet\$3)) ((lowest or slowest) near3 (speed or rate or node)) (request\$3 with download\$3 same (segment or sub-block or sub-block))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 16:35

L10	0	(monitor\$3 or analyz\$5 or analysis) same determin\$5 with (download\$3 near3 (finish\$3 or complet\$3)) ((lowest or slowest) near3 (speed or rate or node)) (request\$3 with download\$3 same (segment or sub-block or sub-block))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 16:35
L11	0	(monitor\$3 or analyz\$5 or analysis) same (download\$3 near3 (finish\$3 or complet\$3)) ((lowest or slowest) near3 (speed or rate or node)) (request\$3 with download\$3 same (segment or sub-block or sub-block))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 16:35
L12	0	(monitor\$3 or analyz\$5 or analysis) same (download\$3 near3 (finish\$3 or complet\$3)) (((lowest or slowest) near3 (speed or rate or node))) ((request\$3 with download\$3 same (segment or sub-block or sub-block)))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 16:36
L13	10	(monitor\$3 or analyz\$5 or analysis) (download\$3 near3 (finish\$3 or complet\$3)) (((lowest or slowest) near3 (speed or rate or node))) ((request\$3 with download\$3 same (segment or sub-block or sub-block)))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 16:36
L14	2	(monitor\$3 or analyz\$5 or analysis) (download\$3 near3 (finish\$3 or complet\$3)) (((lowest or slowest) near3 (speed or rate or node))) ((request\$3 with download\$3 same (segment or sub-block or sub-block))) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 16:36
L15	4	(monitor\$3 or analyz\$5 or analysis) determin\$5 with (download\$3 near3 (finish\$3 or complet\$3)) (((lowest or slowest) near3 (speed or rate or node))) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 16:38
L16	19	(monitor\$3 or analyz\$5 or analysis) same determin\$5 with (download\$3 near3 (finish\$3 or complet\$3)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 16:41
L17	7	(monitor\$3 or analyz\$5 or analysis) with determin\$5 with (download\$3 near3 (finish\$3 or complet\$3)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 16:41
L18	1	(monitor\$3 or analyz\$5 or analysis) same determin\$5 with (download\$3 near3 (finish\$3 or complet\$3)) same (segment or sub-block or (sub adj block) or partition or portion) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 16:43
L19	9	(monitor\$3 or analyz\$5 or analysis) same determin\$5 with (download\$3 near3 (finish\$3 or complet\$3)) (segment or sub-block or (sub adj block) or partition or portion) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 16:44

L20	0	((slowest or lowest) near3 (rate or speed)) (request\$3 with download with (redistribut\$3 or reassign\$3) with segment) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 17:13
L21	0	((slowest or lowest) near3 (rate or speed)) (request\$3 with download\$3 with (redistribut\$3 or reassign\$3) with segment) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 17:13
L22	0	((slowest or lowest) near3 (rate or speed)) (request\$3 with (redistribut\$3 or reassign\$3) with segment) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 17:13
L23	0	((slowest or lowest) near3 (rate or speed)) (request\$3 same (redistribut\$3 or reassign\$3) with segment) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 17:13
L24	24	((slowest or lowest) near3 (rate or speed)) (request\$3 same (redistribut\$3 or reassign\$3) with (segment or block)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 17:13
L25	24	((slowest or lowest) near3 (rate or speed)) ((redistribut\$3 or reassign\$3) same request\$3 with (segment or block or sub-block or subblock)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 17:19
L26	26	((slowest or lowest) with (rate or speed)) ((redistribut\$3 or reassign\$3) same request\$3 with (segment or block or sub-block or subblock)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 17:19
L27	0	((slowest or lowest) with (rate or speed)) ((redistribut\$3 or reassign\$3) with request\$3 same (segment or block or sub-block or subblock) with download\$3) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 17:21
L28	0	((slowest or lowest) with (rate or speed)) ((redistribut\$3 or reassign\$3) with request\$3 same (segment or block or sub-block or subblock) same download\$3) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 17:21
L29	24	((slowest or lowest) with (rate or speed)) ((redistribut\$3 or reassign\$3) with request\$3 same (segment or block or sub-block or subblock) ) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 17:21
L30	0	((slowest or lowest) with (rate or speed)) ((redistribut\$3 or reassign\$3) with request\$3) (download\$3 with (segment or block or sub-block or subblock) ) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 17:21
L31	3	((slowest or lowest) with (rate or speed)) ((redistribut\$3 or reassign\$3) with request\$3) ((download\$3 or stream\$3) with (segment or block or sub-block or subblock) ) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 17:22

L32	2536	718/105	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 17:22
L33	8	((slowest or lowest) with (rate or speed)) (request with download with (reassign\$3 or assign\$3 or distribut \$3)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/20 17:28
S1	1	"10541399"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/15 19:14
S2	170	(stream\$3 with block) (sequen\$5 with (stream\$3 or download\$3)) (subblock or sub-block or sub-stream or (sub adj block) or (sub adj stream) or substream) (monitor\$3 with (download\$3 or stream\$3)) (parallel with block)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/15 19:26
S3	52272	redistribut\$5	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/15 19:27
S4	104	S2 S3	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/15 19:27
S5	4238383	@ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/15 19:27
S6	57	(stream\$3 with block) (sequen\$5 with (stream\$3 or download\$3)) (subblock or sub-block or sub-stream or (sub adj block) or (sub adj stream) or substream) (monitor\$3 with (download\$3 or stream\$3)) (parallel with block) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/15 19:28
S7	0	S6 S4	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/15 19:28
S8	0	S6 S4	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/15 19:28
S9	0	S6 S3	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/15 19:28
S10	5778	re-distribut\$5	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/15 19:28

S11	0	S6 S10	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/15 19:28
S12	116508	re-distribut\$5 or redistribut\$5 or (re adj send) or (re-submit) or retransmit \$5 or retransmission	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/15 19:29
S13	11	S6 S12	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/15 19:30
S14	14	(stream\$3 with block) (sequen\$5 with (stream\$3 or download\$3)) (subblock or sub-block or sub-stream or (sub adj block) or (sub adj stream) or substream) (monitor\$3 with (download\$3 or stream\$3)) (parallel with (stream\$3 or download\$3)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/15 19:42
S15	7	S14 S12	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/15 19:42
S16	15	(stream\$3 with (block or subblock or substream or partition or divid\$3)) (sequen\$5 with (stream\$3 or download\$3)) (subblock or sub-block or sub-stream or (sub adj block) or (sub adj stream) or substream) (monitor\$3 near3 (download\$3 or stream\$3)) (parallel with (stream\$3 or download\$3)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/16 09:41
S17	116508	re-distribut\$5 or redistribut\$5 or (re adj send) or (re-submit) or retransmit \$5 or retransmission	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/16 09:42
S18	11	S16 S17	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/16 09:42
S19	15	(stream\$3 with (block or subblock or (sub adj stream) or (sub adj block) or substream or partition or divid\$3)) (sequen\$5 with (stream\$3 or download\$3)) (subblock or sub-block or sub-stream or (sub adj block) or (sub adj stream) or substream) (monitor\$3 near3 (download\$3 or stream\$3)) (parallel with (stream\$3 or download\$3)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/16 09:43

S20	29	((stream\$3 or download) with (block or subblock or (sub adj stream) or (sub adj block) or substream or partition or divid\$3)) (sequen\$5 with (stream\$3 or download\$3)) ((monitor\$3 or analyz\$3) with (download\$3)) (parallel with (stream\$3 or download\$3)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/16 09:48
S21	6	S17 S20	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/16 09:48
S22	35	"6,389,473"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 12:37
S23	31	((stream\$3 or download) with (block or subblock or (sub adj stream) or (sub adj block) or substream or partition or divid\$3 or segment)) (sequen\$5 with (stream\$3 or download\$3)) ((monitor\$3 or analyz\$3) with (download\$3)) (parallel with (stream\$3 or download\$3)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 12:43
S24	87475	((request\$3) with (block or subblock or (sub adj stream) or (sub adj block) or substream or segment))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 12:44
S25	116606	re-distribut\$5 or redistribut\$5 or (re adj send) or (re-submit) or retransmit \$5 or retransmission	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 12:44
S26	0	S23 S24 S25	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 12:44
S27	2	S23 S24	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 12:45
S28	120383	((request\$3) with (block or subblock or (sub adj stream) or portion or (sub adj block) or substream or segment))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 12:48
S29	1	S23 S28 S25	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 12:48
S30	3	S23 S28	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 13:02

S31	165	((request\$3) with (block or subblock or (sub adj stream) or portion or (sub adj block) or substream or segment)) with connection with download\$3	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 13:03
S32	91	((request\$3) with (block or subblock or (sub adj stream) or portion or (sub adj block) or substream or segment)) with connection with download\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 13:03
S33	9	((request\$3) near2 (block or subblock or (sub adj stream) or portion or (sub adj block) or substream or segment)) with connection with download\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 13:11
S34	11	((request\$3) near2 (block or subblock or (sub adj stream) or (sub adj block) or substream or segment)) with connection with (download\$3 or stream\$3) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 13:16
S35	504	((request\$3) near2 (block or subblock or (sub adj stream) or (sub adj block) or substream or segment)) with (download\$3 or stream\$3) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 13:17
S36	1	@ad<"20030117" (fail\$3 with queue with node) same (black adj list\$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 14:20
S37	0	@ad<"20030117" (fail\$3 with connection with node) same (black adj list\$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 14:21
S38	0	@ad<"20030117" (fail\$3 with connect \$3 with node) same (black adj list\$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 14:21
S39	0	@ad<"20030117" (fail\$3 with connect \$3 with (queue or table)) same (black adj list\$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 14:22
S40	0	@ad<"20030117" (fail\$3 with connect \$3 with (node)) same (black adj list \$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 14:22
S41	0	@ad<"20030117" (fail\$3 with connection) same (black adj list\$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 14:22
S42	1	@ad<"20030117" (fail\$3 with server with (queue or node or table)) same (black adj list\$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 14:23
S43	5	"7,181,506"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 14:47

S44	3	@ad<"20030117" (stream\$3 with server with download\$3 with fail\$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/18 14:52
S45	66	"6,014,698"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/19 10:38
S46	1	((node near2 (state or status)) with (sub adj (block or stream)) with download\$3	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/19 10:51
S47	1	((node or address) near2 (state or status)) with (sub adj (block or stream)) with download\$3	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/19 10:51
S48	28	((node or address) near2 (state or status)) with (sub adj (block or stream))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/19 10:52
S49	12	((node or address) near2 (state or status)) with (sub adj (block or stream)) same (download\$3 or stream \$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/19 12:59
S50	12	((node or address) near2 (state or status)) with (sub adj (block or stream) or sub-block or substream) same (download\$3 or stream\$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/19 13:00
S51	12	((node or address) near2 (state or status)) with ((sub adj (block or stream)) or sub-block or substream) same (download\$3 or stream\$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/19 13:00
S52	351	((node or address) near2 (state or status)) with (((block or stream)) or sub-block or substream or sub-stream) same (download\$3 or stream \$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/19 13:01
S53	75	((node or address) near2 (state or status)) with (((block or stream)) or sub-block or substream or sub-stream) same (download\$3 or stream \$3) with block	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/19 13:01
S54	6638	709/231	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/19 14:03
S55	7181	709/230	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/19 14:03
S56	5660	709/232	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/19 14:04



S57	18	"596321"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/20 18:32
S58	22	"5956321"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/20 18:32
S59	41	"6,389,473"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/06 18:25
S60	24	"5,956,321"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/06 18:26
S61	0	((monitor\$3 or analyz\$5 or probing or probe) near3 (inactive or idle)) (redistribut\$3 with (block or sub-block or (sub adj block)) with (inactive or idle))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/06 18:51
S62	5	(redistribut\$3 with (block or sub-block or (sub adj block)) with (inactive or idle))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/06 18:51
S63	24	((redistribut\$3 or retransmit\$4 or resend\$3) with (block or sub-block or (sub adj block)) with (inactive or idle))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/06 18:52
S64	2	((redistribut\$3 or retransmit\$4 or resend\$3) with (block or sub-block or (sub adj block)) with (inactive or idle)) ((monitor\$3 or analyz\$5 or probing or probe) near3 (inactive or idle))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/06 18:52
S65	5	((redistribut\$3 or retransmit\$4 or resend\$3) with (block or sub-block or (sub adj block)) with (inactive or idle)) ((monitor\$3 or analyz\$5 or probing or probe) with (inactive or idle))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/06 19:14
S66	5	((redistribut\$3 or retransmit\$4 or resend\$3) with (block or substream or (sub adj stream) or sub-block or (sub adj block)) with (inactive or idle)) ((monitor\$3 or analyz\$5 or probing or probe) with (inactive or idle))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/06 19:15
S67	2	((redistribut\$3 or retransmit\$4 or resend\$3) with (block or substream or (sub adj stream) or sub-block or (sub adj block)) with (inactive or idle)) ((monitor\$3 or analyz\$5 or probing or probe) near3 (inactive or idle))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/06 19:16

S68	3	((redistribut\$3 or retransmit\$4 or resend\$3) near3 (block or substream or (sub adj stream) or sub-block or (sub adj block)) (block or substream or (sub adj stream) or sub-block or (sub adj block)) with (inactive or idle)) ((monitor\$3 or analyz\$5 or probing or probe) near3 (inactive or idle))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/06 19:17
S69	14	((redistribut\$3 or retransmit\$4 or resend\$3) near3 (block or substream or (sub adj stream) or sub-block or (sub adj block)) (block or substream or (sub adj stream) or sub-block or (sub adj block)) with (inactive or idle)) ((monitor\$3 or analyz\$5 or probing or probe) with(inactive or idle))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/06 19:19
S70	2	(redistribut\$3 or retransmission or retransmit\$4 or allocat\$3 or reassign \$3 or divid\$3 or partition) near3 ((sub adj block) or (sub adj stream) or (substream) or sub-block) with (idle or inactiv\$5)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 12:02
S71	1	(redistribut\$3 or retransmission or retransmit\$4 or reallocat\$3 or reassign \$3 or divid\$3 or partition) with ((sub adj block) or (sub adj stream) or (substream) or sub-block) with (idle or inactiv\$5)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 12:05
S72	4	(redistribut\$3 or retransmission or retransmit\$4 or allocat\$3 or reassign \$3 or divid\$3 or partition) with ((sub adj block) or (sub adj stream) or (substream) or sub-block) with (idle or inactiv\$5)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 12:06
S73	5	(redistribut\$3 or retransmission or retransmit\$4 or allocat\$3 or reassign \$3 or divid\$3 or partition) with ((sub adj block) or (sub adj stream) or (substream) or sub-block or (portion near stream) or (slice near2 stream)) with (idle or inactiv\$5)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 12:07
S74	41	"6,389,473"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 12:08
S75	21	(redistribut\$3 or retransmission or retransmit\$4 or allocat\$3 or reassign \$3 or divid\$3 or partition) with ((sub adj block) or (sub adj stream) or (substream) or sub-block or (portion near stream) or (slice near2 stream)) same (idle or inactiv\$5)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 12:27

S76	484	(redistribut\$3 or retransmission or retransmit\$4 or allocat\$3 or reassign \$3) near3 ((sub adj block) or (sub adj stream) or (substream) or sub-block or (portion near stream) or (slice near2 stream))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 12:29
S77	53	(redistribut\$3 or retransmission or retransmit\$4 or reallocat\$3 or reassign \$3) near3 ((sub adj block) or (sub adj stream) or (substream) or sub-block or (portion near stream) or (slice near2 stream))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 12:29
S78	2371	714/748	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 12:33
S79	1098	714/784	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 12:34
S80	12	(redistribut\$3 or reallocat\$3 or reassign\$3) near3 ((sub adj block) or (sub adj stream) or (substream) or sub-block or (portion near stream) or (slice near2 stream))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 12:35
S81	21846	((monitor\$3 or analyz\$5 or probing or probe) near3 (node or device or processor or terminal)) with (connection or idle or active or inactive \$5)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 12:38
S82	1	S81 S77	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 12:38
S83	1	S81 S76	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 12:38
S84	355513	((monitor\$3 or analyz\$5 or probing or probe) near3 (node or device or processor or terminal))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 12:39
S85	6	S84 S77	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 12:39
S86	2713574	(check\$3 or monitor\$3 or analyz\$5 or probing or probe)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 12:45
S87	42	S77 S86	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 12:45

S88	3	(live adj stream) same redistribut\$3	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 13:01
S89	185	(live adj stream) "725"/\$3	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 13:03
S90	0	"725"/\$3 redistribut\$3 with (substream or sub-stream or (sub adj stream) or (sub adj block) or sub- block or (sub adj block))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 13:04
S91	5	"7,181,506"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 14:07
S92	1	"20020004846"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 14:13
S93	17	"6,445,679"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/09/07 14:18
S94	2	"20040143672"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/18 18:53
S95	0	(reassign\$3 or re-assign\$3) with ((sub adj block) or sub-block) @ad< "20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/18 18:57
S96	6	(reassign\$3 or re-assign\$3) with ((sub adj block) or sub-block or slice or subblock) @ad< "20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/18 18:58
S97	803	(reassign\$3 or re-assign\$3) with ((sub adj block) or sub-block or block or partition\$3 or subblock) @ad< "20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/18 19:00
S98	9	(reassign\$3 or re-assign\$3) with ((sub adj block) or sub-block or block or partition\$3 or subblock) with (lost or drop\$4 or undownloaded or non- downloaded or nondownloaded or (non adj downloaded)) @ad< "20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/18 19:01
S99	24	(reassign\$3 or re-assign\$3) with ((sub adj block) or sub-block or block or partition\$3 or subblock) same (lost or drop\$4 or undownloaded or non- downloaded or nondownloaded or (non adj downloaded)) @ad< "20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/18 19:02

S100	1	(reassign\$3 or re-assign\$3) with ((sub adj block) or sub-block or block or partition\$3 or subblock) same (lost or drop\$4 or undownloaded or non-downloaded or nondownloaded or (non adj downloaded)) same stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/18 19:02
S101	1	(reassign\$3 or re-assign\$3) with ((sub adj block) or sub-block or block or partition\$3 or subblock or segment) same (lost or drop\$4 or undownloaded or non-downloaded or nondownloaded or (non adj downloaded)) same stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/18 20:50
S102	0	(reassign\$3 or re-assign\$3) with ((sub adj block) or sub-block or block or partition\$3 or subblock or segment) same ((before or prior) near3 (stream or download)) same stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/18 21:03
S103	0	(reassign\$3 or re-assign\$3 or reallocat\$3) with ((sub adj block) or sub-block or block or partition\$3 or subblock or segment) same ((before or prior) near3 (stream or download)) same stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/18 21:04
S104	0	(reassign\$3 or re-assign\$3 or reallocat\$3) with ((sub adj block) or sub-block or block or partition\$3 or subblock or segment) same ((before or prior) near3 (stream or download)) stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/18 21:04
S105	0	(reassign\$3 or re-assign\$3 or reallocat\$3) with ((sub adj block) or sub-block or block or partition\$3 or subblock or segment or slice) same ((before or prior) near3 (stream or download)) stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/18 21:04
S106	4	(reassign\$3 or re-assign\$3 or reallocat\$3) with ((sub adj block) or sub-block or block or partition\$3 or subblock or segment or slice) same ((before or prior) with (stream or download)) stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/18 21:04
S107	4	(reassign\$3 or re-assign\$3 or reallocat\$3 or re-allocat\$3) with ((sub adj block) or sub-block or block or partition\$3 or subblock or segment or slice) same ((before or prior) with (stream or download)) stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/18 21:05

S108	32	(reassign\$3 or re-assign\$3 or reallocate\$3 or re-allocate\$3) with ((sub adj block) or sub-block or block or partition\$3 or subblock or segment or slice) with (before or prior) stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/18 21:06
S109	2	(reassign\$3 or re-assign\$3 or reallocate\$3 or re-allocate\$3) with ((sub adj block) or sub-block or block or partition\$3 or subblock or segment or slice) with (before or prior) with second stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/18 21:08
S110	32	(reassign\$3 or re-assign\$3 or reallocate\$3 or re-allocate\$3) with ((sub adj block) or sub-block or block or partition\$3 or subblock or segment or slice) with (before or prior or early) stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/18 21:13
S111	98	(reassign\$3 or re-assign\$3 or reallocate\$3 or re-allocate\$3 or retransmit\$4 or re-transmission) with ((sub adj block) or sub-block or block or partition\$3 or subblock or segment or slice) with (before or prior or early) stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/18 21:13
S112	43	(reassign\$3 or re-assign\$3 or reallocate\$3 or re-allocate\$3 or retransmit\$4 or re-transmission) with ((sub adj block) or sub-block or block or partition\$3 or subblock or segment or slice) near3 (before or prior or early) stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/18 21:13
S113	0	(reallocate\$3 or allocate\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3) with (second adj server) with (prior or before) near3 (first adj server) stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 15:46
S114	0	(reallocate\$3 or allocate\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3) with (second adj server) same (prior or before) near3 (first adj server) stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 15:47
S115	0	(reallocate\$3 or allocate\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3) same (second adj server) with (prior or before) near3 (first adj server) stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 15:47
S116	0	(reallocate\$3 or allocate\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3) near3 (segment or slice or portion) same (second adj server) with (first adj server) stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 15:47

S117	1	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3) with (segment or slice or portion) same (second adj server) with (first adj server) stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 15:48
S118	11	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) with (segment or slice or portion) same (second adj server) with (first adj server) stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 15:49
S119	0	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) with (segment or slice or portion) same (second adj server) with (first adj server) same ((prior or before or first) near3 finish\$3) stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 15:52
S120	3	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) with (segment or slice or portion) same (second adj server) with (first adj server) same ((prior or before or first) near3 (stream\$3 or complet\$3 or finish\$3)) stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 15:53
S121	0	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) with (segment or slice or portion) same (second adj server) with (first adj server) same ((prior or before or first) near3 (complet\$3 or finish\$3)) stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 15:55
S122	1	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) with (segment or slice or portion) same (second adj server) with (first adj server) same (prior or before) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 15:59
S123	0	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) with (finish\$3 near3 (prior or before)) with (segment or slice or portion) same (second adj server) with (first adj server) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 16:03

S124	0	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) with ((stream\$3 or download\$3 or complet\$3 or finish\$3) near3 (prior or before)) same (segment or slice or portion) same (second adj server) with (first adj server) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 16:03
S125	0	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) with ((stream\$3 or download\$3 or complet\$3 or finish\$3) near3 (prior or before)) same (segment or slice or portion) same (second adj server) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 16:04
S126	0	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) same ((stream\$3 or download\$3 or complet\$3 or finish\$3) near3 (prior or before)) same (segment or slice or portion) same (second adj server) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 16:04
S127	1672	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) same ((stream\$3 or download\$3 or complet\$3 or finish\$3) near3 (prior or before)) same (segment or slice or portion) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 16:04
S128	370	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) near5 ((stream\$3 or download\$3 or complet\$3 or finish\$3) near3 (prior or before or early)) same (segment or slice or portion) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 16:05
S129	135	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) near5 ((stream\$3 or download\$3 or complet\$3 or finish\$3) near3 (prior or before or early)) with (segment or slice or portion) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 16:05
S130	0	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) near5 ((stream\$3 or download\$3 or complet\$3 or finish\$3) near3 (prior or before or early)) with (segment or slice or portion) same failover @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 16:05



S131	0	(reallocate\$3 or allocate\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) near5 ((stream\$3 or download\$3 or complete\$3 or finish\$3) near3 (prior or before or early)) with (segment or slice or portion) failover @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 16:05
S132	31	(reallocate\$3 or allocate\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) near5 ((stream\$3 or download\$3 or complete\$3 or finish\$3) near3 (prior or before or early)) with (segment or slice or portion) same stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 16:05
S133	31	(reallocate\$3 or allocate\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) near5 ((stream\$3 or download\$3 or complete\$3 or finish\$3) near3 (prior or before or early)) with (segment or slice or portion or sub-block or (sub adj block)) same stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 16:07
S134	10	(reallocate\$3 or allocate\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) near5 ((complete\$3 or finish\$3) near3 (prior or before or early)) with (segment or slice or portion) same stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 16:10
S135	19	(reallocate\$3 or allocate\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) with ((complete\$3 or finish\$3) near3 (prior or before or early)) with (segment or slice or portion) same stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 16:10
S136	0	(reallocate\$3 or allocate\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) with ((complete\$3 or finish\$3) near3 (prior or before or early)) same (segment or slice or portion or sub-block or (sub adj block)) same failover same stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 16:11
S137	0	(reallocate\$3 or allocate\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) same (segment or slice or portion or sub-block or (sub adj block)) same failover same stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 16:12

S138	13	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) same (segment or slice or portion or sub-block or (sub adj block)) same (second adj (node or server)) same stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 16:12
S139	3	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) same (segment or slice or portion or sub-block or (sub adj block)) near3 (second adj (node or server)) same stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 16:13
S140	0	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) with ((complet\$3 or finish\$3) near3 (prior or before or early)) same (segment or slice or portion or sub-block or (sub adj block)) same (fail-over or failover) same stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 16:14
S141	26	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4) with (bad near3 connection) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:13
S142	35	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribut\$3 or distribut\$3) with (bad near3 connection) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:13
S143	5	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribut\$3 or distribut\$3) with (bad near3 connection) with (finish\$3 or complet\$3) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:14
S144	3436	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribut\$3 or distribut\$3) with (segment or sub-block or subblock or (sub adj block) or portion or partition) with (finish or complete or done) with (finish\$3 or complet\$3) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:15

SI145	4283	((reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribut\$3 or distribut\$3) with (segment or sub-block or subblock or (sub adj block) or portion or partition) with (finish or complete or done) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:17
SI146	0	((reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribut\$3 or distribut\$3) with (segment or sub-block or subblock or (sub adj block) or portion or partition) with (finish or complete or done) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	WITH	ON	2011/04/19 17:17
SI147	4283	((reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribut\$3 or distribut\$3) with (segment or sub-block or subblock or (sub adj block) or portion or partition) with (finish or complete or done)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:17
SI148	0	((reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribut\$3 or distribut\$3) with (segment or sub-block or subblock or (sub adj block) or portion or partition) with (finish or complete or done)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	SAME	ON	2011/04/19 17:18
SI149	0	((reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribut\$3 or distribut\$3) with (segment or sub-block or subblock or (sub adj block) or portion or partition) same (finish or complete or done)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	SAME	ON	2011/04/19 17:18
SI150	4290	((reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribut\$3 or distribut\$3) with (segment or sub-block or subblock or (sub adj block) or portion or partition) with (finish or complete or done) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:31
SI151	0	((reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribut\$3 or distribut\$3) with (segment or sub-block or subblock or (sub adj block) or portion or partition) with (second adj (node or server)) near3 (finish or complete or done) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:32

S152	0	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribut\$3 or distribut\$3) with (segment or sub-block or subblock or (sub adj block) or portion or partition) same (second adj (node or server)) with (finish or complete or done) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:32
S153	0	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribut\$3 or distribut\$3) with (segment or sub-block or subblock or (sub adj block) or portion or partition) with (finish or complete or done) same (second adj (node or server)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:32
S154	0	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribut\$3 or distribut\$3) with (finish or complete or done) same (second adj (node or server)) same (segment or sub-block or subblock or (sub adj block) or portion or partition) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:33
S155	0	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribut\$3 or distribut\$3) with segment with (bad adj connection) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:37
S156	0	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribut\$3 or distribut\$3) with segment same (bad adj connection) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:37
S157	1164	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribut\$3 or distribut\$3) with (slice or subclock or sub-block or (sub adj block) or segment) with (complete or finish\$3 or empty) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:38
S158	23	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribut\$3 or distribut\$3) with (slice or subclock or sub-block or (sub adj block) or segment) with (server or queue) near3 (complete or finish\$3 or empty) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:39

S159	29	(reallocate\$3 or allocate\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribute\$3 or distribute\$3) with (slice or subblock or sub-block or (sub adj block) or segment) with (server or queue or node) near3 (complete or finish\$3 or empty) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:41
S160	0	(reallocate\$3 or allocate\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribute\$3 or distribute\$3) with (slice or subblock or sub-block or (sub adj block) or segment) with (server or queue or node) near3 (complete or finish\$3 or empty) same stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:46
S161	12	(reallocate\$3 or allocate\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribute\$3 or distribute\$3) with (slice or subblock or sub-block or (sub adj block) or segment or portion or partition) same (server or queue or node) near3 (complete or finish\$3 or empty) same stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:47
S162	0	(reallocate\$3 or allocate\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribute\$3 or distribute\$3) same (second or alternate or another) adj (server or queue or node) near3 (before) same (slice or subblock or sub-block or (sub adj block) or segment or portion or partition) same stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:58
S163	8	(reallocate\$3 or allocate\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribute\$3 or distribute\$3) with (server or queue or node) near3 (before) same (slice or subblock or sub-block or (sub adj block) or segment or portion or partition) same stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 17:59

St164	15	(reallocat\$3 or allocat\$3 or retransmission or retransmit\$4 or resend\$3 or reassign\$3 or assign\$3 or transfer\$4 or redistribut\$3 or distribut\$3) with (second adj (server or queue or node)) same (slice or subblock or sub-block or (sub adj block) or segment or portion or partition) same stream\$3 @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 18:02
St165	0	((second adj server) same (handoff or handover or failover) with ((stream\$3 or download\$3) near3 finish\$3) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 18:12
St166	0	((second adj server) same (handoff or handover or failover) with ((stream\$3 or download\$3) near3 (complet\$3 or finish\$3)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 18:12
St167	3	((second adj server) same (handoff or handover or failover) same ((stream\$3 or download\$3) near3 (complet\$3 or finish\$3)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 18:12
St168	0	((second adj server) same ((connection near3 (bad or slow)) or failover) same ((stream\$3 or download\$3) near3 (complet\$3 or finish\$3)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 18:42
St169	0	((second adj server) same ( latency or (connection near3 (bad or slow)) or failover) same ((stream\$3 or download\$3) near3 (complet\$3 or finish\$3)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 18:43
St170	3	((second adj server) same ( latency or (connection near3 (bad or slow)) or failover or transfer\$4) same ((stream\$3 or download\$3) near3 (complet\$3 or finish\$3)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 18:43
St171	6	((second adj server) same ( latency or (connection near3 (bad or slow)) or failover or transfer\$4 or transmit\$4 or transmission or reallocat\$3 or allocat\$3 or redistribut\$3 or distribut\$3) same ((stream\$3 or download\$3) near3 (complet\$3 or finish\$3)) @ad<"20030117"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2011/04/19 18:45

**EAST Search History (Interference)**

&lt; This search history is empty&gt;

**4/ 20/ 2011 6:19:14 PM****C:\Documents and Settings\rscott\My Documents\EAST\Workspaces\ 10541399b.wsp**